CORRECTION Open Access



Correction: Impacts of stimulus parameters and configurations on motor cortex direct electrical stimulation using intrinsic optical imaging: a pilot study

Long Liu^{1,3†}, Jiacheng Zhang^{1,3*†}, Jie Sun^{2*} and Kedi Xu^{1,3,4}

[†]Long Liu and Jiacheng Zhang have contributed equally to this work

The original article can be found online at https://doi.org/10.1186/s12938-022-01026-2.

*Correspondence: jiachengzhang@zju.edu.cn; nbyysj@sina.com

¹ Zhejiang Provincial Key Laboratory of Cardio-Cerebral Vascular Detection Technology and Medicinal Effectiveness Appraisal,, Key Laboratory of Biomedical Engineering of Education Ministry, Department of Biomedical Engineering, Zhejiang University, Room 511, Zhou Yiqing Building, 38 Zheda Road, Hangzhou 310027, China ² Department of Neurosurgery, Ningbo City First Hospital, No. 59 Liuting Street, Ningbo 315010, Zhejiang, China ³ Qiushi Academy for Advanced Studies (OAAS), Theilang University, Hangzhou 310027,

China

⁴ Zhejiang Lab,
Hangzhou 311100, China

Correction: BioMedical Engineering OnLine (2022) 21:58

https://doi.org/10.1186/s12938-022-01026-2

Following the publication of the original article [1], the affiliation 1 and 2 need to be swapped and the affiliations should read as follow:

¹Zhejiang Provincial Key Laboratory of Cardio-Cerebral Vascular Detection Technology and Medicinal Effectiveness Appraisal, Key Laboratory of Biomedical Engineering of Education Ministry, Department of Biomedical Engineering, Zhejiang University, Room 511, Zhou Yiqing Building, 38 Zheda Road, Hangzhou 310027, China.

²Department of Neurosurgery, Ningbo City First Hospital, No. 59 Liuting Street, Ningbo 315010, Zhejiang, China

³Qiushi Academy for Advanced Studies (QAAS), Zhejiang University, Hangzhou 310027, China.

⁴Zhejiang Lab, Hangzhou 311100, China.

The original article has been corrected.

Accepted: 13 September 2022

Published online: 29 September 2022

Reference

 Liu L, Zhang J, Sun J, Xu K. Impacts of stimulus parameters and configurations on motor cortex direct electrical stimulation using intrinsic optical imaging: a pilot study. BioMed Eng OnLine. 2022;21:58. https://doi.org/10.1186/ s12938-022-01026-2.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.