CORRECTION Open Access

Correction: The value of the wireless stethoscope in patients with COVID-19 infection in a makeshift hospital

Ying Zhuge^{1†}, Liu Rong^{2†}, Lei Ye^{3†}, Jiaqi Liu¹, Lingyun Su¹, Zhiping Zhang¹, Junshan Wang^{4†} and Zhi Zhang^{1*†}

[†]Ying Zhuge, Liu Rong, and Lei Ye have contributed equally.

[†]Junshan Wang and Zhi Zhang are jointly corresponding authors.

The original article can be found online at https://doi.org/10.1186/s12938-023-01136-5.

*Correspondence: zhi.zhang@shgh.cn

Department of Cardiology, Shanghai General Hospital, Shanghai Jiaotong University School of Medicine (Originally Named "Shanghai First People's Hospital"), 100 Haining Road, Shanghai 200080, People's Republic of China Department of Critical Care Medicine, Shanghai General Hospital, Shanghai Jiaotong University School of Medicine (Originally Named "Shanghai First People's Hospital"), Shanghai, China

³ Department of Nursing, Shanghai General Hospital, Shanghai Jiaotong University School of Medicine (Originally Named "Shanghai First People's Hospital"), Shanghai, China ⁴ Department of Gastroenterology, Shanghai Tenth People's Hospital, Tongji

University, Shanghai, China

Correction: BioMedical Engineering OnLine (2023) 22:71 https://doi.org/10.1186/s12938-023-01136-5

Following publication of the original article [1], in this article the figures were interchanged and now the figures are updated correctly.

The original article has been corrected.

Accepted: 25 July 2023

Published online: 18 August 2023

Reference

 Zhuge Y, Rong L, Ye L, Liu J, Su L, Zhang Z, Wang J, Zhang Z. The value of the wireless stethoscope in patients with COVID-19 infection in a makeshift hospital. BioMed Eng OnLine. 2023;22:71. https://doi.org/10.1186/ s12938-023-01136-5.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.